| Ref<br>#    | Hits   | Search Query  | DBs               | Default<br>Operator | Plurals | Time Stamp       |
|-------------|--------|---|-------------------|---------------------|---------|------------------|
| Ľ1          | 379    | (surface adj protect\$) same polycarbonate                      | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 08:39 |
| L2          | 51     | 1 same adhesive   | USPAT;<br>DERWENT | OR                  | ОИ      | 2004/11/30 08:41 |
| L3          | 0      | 2 same (peel near strength)                                     | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 08:40 |
| L4          | 5      | 2 and (peel adj strength)                                       | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 08:40 |
| L5          | 129    | polycarbonate same (peel near strength)                         | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 08:41 |
| L6          | 50     | 5 same adhesive   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 09:14 |
| נד          | 2      | 1 and 5   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 09:14 |
| SI          | 165816 | ((multi adj layer) or multilayer)                               | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:46 |
| S2          | 2066   | (film or coating) nearó (youngs adj<br>modulus)                 | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 13:12 |
| S3          | 7324   | S1 near6 laminate   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:47 |
| \$4<br>•    | 37     | S2 near6 (adhesive or (pressure adj<br>sensitive adj adhesive)) | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:47 |
| \$ <b>5</b> | 2      | S4 and S3   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:48 |
| S6          | 6      | (("6123799") or ("4968559") or<br>("6472065")).PN.              | USPAT;<br>DERWENT | OR                  | OFF     | 2004/11/23 12:54 |
| S <i>7</i>  | 470    | surface adj protecting adj film                                 | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 13:12 |
| S8          | 134596 | polycarbonate   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:54 |
| S9          | 1862   | initial adj adhesion  | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:54 |
| S10         | 38141  | pressure adj sensitive adj adhesive                             | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/27 10:55 |
| SII         | 12     | "180" near peel near strength                                   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:55 |
| S12         | 2      | S7 near6 S8   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 12:56 |
| \$13        | 0      | S2 same S7  | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 13:11 |
| \$14        | j j    | S7 same S8 same \$10  | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 13:11 |
| S15         | 1      | 2004-204631.NRAN.   | DERWENT           | OR                  | ON      | 2004/11/23 13:12 |
| \$16        | 0      | S7 near3 (youngs adj modulus)                                   | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/23 13:12 |

| S17  | 165816 | ((multi adj layer) or multilayer)                                 | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:12 |
|------|--------|---|-------------------|----|-----|------------------|
| S18  | 2066   | (film or coating) nearó (youngs adj<br>modulus)                   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 12:04 |
| \$19 | 7324   | S17 nearó laminate  | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:12 |
| S20  | 37     | \$18 near6 (adhesive or (pressure adj<br>sensitive adj adhesive)) | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:19 |
| \$21 | 2      | \$20 and \$19   | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S22  | 6      | (("6123799") or ("4968559") or ("6472065")).PN.                   | USPAT;<br>DERWENT | OR | OFF | 2004/11/24 09:15 |
| \$23 | 470    | surface adj protecting adj film                                   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:23 |
| S24  | 134596 | polycarbonate   | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| \$25 | 1862   | initial adj adhesion  | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:12 |
| S26  | 38141  | pressure adj sensitive adj adhesive                               | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S27  | 12     | "180" near peel near strength                                     | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S28  | 2      | S23 nearó S24   | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S29  | 0      | S18 same S23  | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S30  | 1      | S23 same S24 same S26   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:12 |
| S31  | 1      | 2004-204631.NRAN.   | DERWENT           | OR | ОИ  | 2004/11/24 07:12 |
| S32  | 0      | S23 near3 (youngs adj modulus)                                    | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:12 |
| S33  | 2      | S24 with S23  | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:19 |
| \$34 | 0      | S18 with S23  | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:19 |
| \$35 | 470    | \$23 and \$23   | USPAT;<br>DERWENT | OR | ОИ  | 2004/11/24 07:19 |
| \$36 | 0      | \$18 and \$23   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:19 |
| S38  | 9      | S24 and S20   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:20 |
| S39  | 41048  | protect\$ adj film  | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:23 |
| S40  | 522    | S39 with S24  | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:23 |
| S41  | 3      | S40 and S18   | USPAT;<br>DERWENT | OR | ON  | 2004/11/24 07:25 |

| S42           | 1189   | \$39 and \$26   | USPAT;            | OR   | ON  | 2004/11/24 07:26  |
|---------------|--------|---|-------------------|------|-----|-------------------|
| 342           | 1107   | 337 010 320   | DERWENT           | OK   | ON  | 2004/11/24 07:28  |
| 543           | 297    | \$42 and \$24   | USPAT;<br>DERWENT | OR   | ON  | 2004/1:1/24 07:26 |
| \$44          | 42     | S43 and ((polyurethane or urethane) adj<br>(acrylate or methacrylate))                    | USPAT;<br>DERWENT | OR   | ОИ  | 2004/11/24 07:27  |
| \$45          | 358    | \$39 with \$26  | USPAT;<br>DERWENT | OR   | ON  | 2004/1:1/24 07:27 |
| S46           | 0      | S45 and S18   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 07:28  |
| S47           | 5      | \$45 with \$24  | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24.07:28  |
| S48           | 1818   | (428/412).CCLS.   | USPAT;<br>DERWENT | OR   | OFF | 2004/11/24 09:15  |
| S49           | 0      | S48 and S26 and S18   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:16  |
| S50           | 8      | S48 and S18   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:16  |
| S51           | 91     | S48 and S39   | USPAT;<br>DERWENT | OR   | ОИ  | 2004/11/24 09:17  |
| S52           | 1      | S51 and S18   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:16  |
| \$53          | 23     | S51 and S17   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:17  |
| \$54          | 3      | S53 and S26   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:19  |
| \$55          | 1639   | S48 and S24   | USPAT;<br>DERWENT | OR   | ОИ  | 2004/11/24 09:19  |
| \$56          | 385    | S55 and S17   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:19  |
| S57           | 86     | S55 and (S23 S39)   | USPAT;<br>DERWENT | OR   | ОИ  | 2004/11/24 09:20  |
| \$58          | 21     | S57 and S17   | USPAT;<br>DERWENT | OR . | ON  | 2004/11/24 09:20  |
| \$59          | 3      | \$58 and \$26   | USPAT;<br>DERWENT | OR   | ОИ  | 2004/11/24 09:20  |
| S60           | 0      | S59 and S27   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:20  |
| S61           | 244402 | (hard or protective or protection or protecting) near3 (film or coat or coating or layer) | USPAT;<br>DERWENT | OR . | ON  | 2004/11/24 13:28  |
| \$62 <u>,</u> | 663    | S61 near10 ((youngs adj modulus) or<br>(modulus))   | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:22  |
| S63           | 13     | S62 same S24  | USPAT;<br>DERWENT | OR . | ОИ  | 2004/11/24 12:03  |
| S64           | 0      | S24 same (S26 and S27)  | USPAT;<br>DERWENT | OR   | ON  | 2004/11/24 09:53  |

| S65 | 6       | S63 and adhesive  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 09:54 |
|-----|---------|---|------------------------------|------|-----|------------------|
| S66 | 0       | S65 and (peel adj strength)   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 09:54 |
| S67 | 0       | S63 and S25   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 10:43 |
| S68 | 1       | \$63 and \$26   | USPAT;<br>DERWENT            | ⊙R   | ON  | 2004/11/24 10:59 |
| S69 | 1       | 2004-204631.NRAN.   | DERWENT                      | OR   | ОИ  | 2004/11/24 10:44 |
| S70 | 0       | 428/343.ccls. and 563   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 10:59 |
| S71 | 52      | 428/343.ccls. and S26 and S25   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 11:00 |
| S72 | 10      | S71 and S24   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 11:00 |
| S73 | 13      | S71 and S61   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 11:00 |
| S74 | 1       | S73 and S24   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 11:00 |
| S75 | 30      | ("5229207").URPN.   | USPAT                        | OR   | ON  | 2004/11/24 11:03 |
| S76 | 13      | ("3547852"   "4287013"   "4376151"<br>  "4461795"   "4550052"  <br>"4605592"   "4766177"   "4952876"<br>  "4985488"   "5021507"  <br>"5045386"   "5079047").PN. | US-PGPUB;<br>USPAT;<br>USOCR | OR   | ON  | 2004/11/24 11:29 |
| S77 | 5       | S26 with S39 with S24   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 11:29 |
| S78 | 25      | (film or coating) near6 (youngs adj<br>modulus) same S39  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 12:06 |
| S79 | 1       | S78 and S26   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 12:04 |
| S80 | 124     | S39 near4 S24   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 12:06 |
| S81 | 5       | S80 and (adheisve or S26)   | USPAT;<br>DERWENT            | OR   | ОИ  | 2004/11/24 13:19 |
| S82 | 2       | ("3655496"   "5167995").PN.   | US-PGPUB;<br>USPAT;<br>USOCR | OR   | ОИ  | 2004/11/24 12:19 |
| S83 | 4       | ("5962097").URPN.   | USPAT                        | OR   | ON  | 2004/11/24 12:21 |
| 584 | 1822    | (428/343).GCLS.   | USPAT;<br>DERWENT            | OR . | OFF | 2004/11/24 13:27 |
| S85 | 4914550 | ((youngs or elastic or elasticity) adj<br>modulus) near S26 (backing or support or<br>film or coat or coating or layer)   | USPAT;<br>DERWENT            | OR   | ОИ  | 2004/11/24 13:23 |
| S86 | 0       | S84 with S85  | USPAT;<br>DERWENT            | ⊙R   | ОИ  | 2004/11/24 13:21 |
| S87 | 1598    | S85 and S84   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:23 |

Search History 11/30/04 9:57:08 AM Page 4 C:\APPS\east\workspaces\10643933.wsp

| \$88      | 181   | \$87 and (peel adj strength)   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:22 |
|-----------|-------|--|------------------------------|------|-----|------------------|
| S89       | 98    | \$87 and \$39  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:23 |
| S90       | 17    | S89 and (peel adj strength)  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:24 |
| S91       | 0     | \$90 and \$23  | USPAT;<br>DERWENT            | OR.  | ON  | 2004/11/24 13:22 |
| S92       | 8     | S90 and S24  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:22 |
| 593       | 6943  | ((youngs or elastic or elasticity) adj<br>modulus) near 10 (backing or support or<br>film or coat or coating or layer) | USPAT;<br>DERWENT            | OR   | ОИ  | 2004/11/24 13:28 |
| S94       | 54    | S93 and S84  | USPAT;<br>DERWENT            | OR   | ОИ  | 2004/11/24 13:23 |
| 595       | 9     | \$94 and \$39  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:23 |
| S96       | 3     | S95 and (peel adj strength)  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:27 |
| S97       | 15199 | polycarbonate near3 (film or coat or coating or layer)   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:28 |
| S98       | 1670  | ((youngs or elastic or elasticity) adj<br>modulus) near (backing or support or film<br>or coat or coating or layer)    | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:28 |
| S99       | 1490  | ((youngs or elastic or elasticity) adj<br>modulus) near (backing or support or film<br>or coat or layer)               | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:29 |
| \$10<br>0 | 18    | S99 and S84  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/24 13:29 |
| S10<br>1  | 141   | (surface adj protect\$) near10<br>polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:35 |
| \$10<br>2 | 38141 | pressure adj sensitive adj adhesive  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:35 |
| S10<br>3  | 10338 | peel adj strength  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:35 |
| S10<br>6  | 16291 | elastic near modulus   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:36 |
| S10<br>7  | 17513 | youngs near modulus  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:36 |
| S10<br>8  | 7     | \$101 and \$102  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 07:36 |
| 510<br>9  | 1     | \$108 and \$103  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 10:40 |
| _S11<br>O | 2     | ("6465330").PN.  | USPAT;<br>DERWENT            | OR   | OFF | 2004/11/27 10:40 |
| S11       | 5.    | ("4756968"   "5714029"   "5888883"<br>  "6126772"   "6312800").PN.   | US-PGPUB;<br>USPAT;<br>USOGR | OR . | ON  | 2004/11/27 10:40 |

| <b>S</b> 11 | 1     | ("6465330").URPN.   | USPAT                        | OR   | ON  | 2004/11/27 10:55 |
|-------------|-------|---|------------------------------|------|-----|------------------|
| 2<br>\$11   | 2328  | . (adhesive or (pressure adj s nsitive adj  | USPAT;                       | OR . | 0.1 | 2004//11/271055  |
| 3           | 2326  | adhesive)) near:10 polycarbonate  | DERWENT                      | Ok   | ON  | 2004/11/27 10:55 |
| \$11<br>4   | 15    | S113 same (peel adj strength)   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:05 |
| S11<br>5    | 7     | ("4335187").URPN.   | USPAT                        | OR   | ON  | 2004/11/27 11:02 |
| \$11<br>6   | 1     | ("6465330").URPN.   | USPAT                        | OR   | ON  | 2004/11/27 11:04 |
| S11<br>7    | 141   | (surface adj protect\$) near 10<br>polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:04 |
| \$11<br>8   | 38141 | pressure adj sensitive adj adhesive   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:04 |
| S11<br>9    | 7     | \$117 and \$118   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:04 |
| S12<br>0    | 1     | S119 and (peel adj strength)  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:05 |
| S12         | 7     | S119 and polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/27 11:05 |
| \$12<br>2   | 1     | (initial adj peel) near6 polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:33 |
| S12<br>3    | 2     | (initial adj peel) near10 polycarbonate   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:11 |
| \$12<br>4   | 22    | ("2951825"   "3691140"   "3765972"   "3857731"   "4049483"   "4166152"   "4503211"   "4556591"   "4636432"   "4707534"   "4897141"   "4968562"   "5086088"   "5128412"   "5234757"   "5397611"   "5464902"   "5540963"   "5660901"   "5783272"   "5883193").PN. | US-PGPUB;<br>USPAT;<br>USOCR | OR   | ON  | 2004/11/29 10:05 |
| S12<br>5    | 4     | ("6288170").URPN.   | USPAT                        | OR   | ON  | 2004/11/29 12:10 |
| \$12<br>6   | 1199  | (428/40.1).CCLS.  | USPAT;<br>DERWENT            | OR   | OFF | 2004/11/29 12:10 |
| S12<br>7    | 136   | S126 and polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:11 |
| S12<br>8    | 79    | (surface adj protect\$) and \$126   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:32 |
| 512<br>9    | 379   | (surface adj protect\$) same polycarbonate  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:33 |
| S13<br>0    | . 0   | S129 and S126   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:33 |
| S13         | 2327  | adhesive near 10 polycarbonat   | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:33 |
| S13<br>2    | 1     | (initial adį peel) nearó \$131  | USPAT;<br>DERWENT            | OR   | ON  | 2004/11/29 12:33 |

| \$13<br>3 | 11 | (peel near3 strength) n ar6 \$131               | USPAT;<br>DERWENT | OR | ON | 2004/11/29 12:53 |
|-----------|----|---|-------------------|----|----|------------------|
| S13<br>4  | 0  | \$133 and ((young or lastic) adj<br>modulus)    | USPAT;<br>DERWENT | OR | ON | 2004/11/29 12:53 |
| \$13<br>5 | 26 | \$131 and ((young or elastice) adj<br>modulus)  | USPAT;<br>DERWENT | OR | ON | 2004/11/29 12:53 |
| S13<br>6  | 0  | ((peel near3 strength) near adheisve) and \$135 | USPAT;<br>DERWENT |    | ON | 2004/11/29 12:53 |

| Ref<br># | Hits | Search Query  | DBs               | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|-------------------|---------------------|---------|------------------|
| L1       | 0    | (156/41.7).CCLS.                                    | USPAT;<br>DERWENT | OR                  | OFF     | 2004/11/30 11:05 |
| L2       | 446  | (428/41.7).CCLS.                                    | USPAT;<br>DERWENT | OR                  | OFF     | 2004/11/30 11:07 |
| L3       | 0    | 2 and ((surface adj protection) near polycarbonate) | USPAT;<br>DERWENT | OR .                | ON      | 2004/11/30 11:17 |
| L4       | 291  | (428/41.5).CCLS.                                    | USPAT;<br>DERWENT | OR                  | OFF     | 2004/11/30 11:17 |
| L5       | 0    | 4 and ((surface adj protection) near polycarbonate) | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 11:08 |
| L6       | 45   | 2 and polycarbonate                                 | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 11:08 |
| 17       | 0    | 2 and ((surface adj protection) with polycarbonate) | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 11:18 |
| L8       | 1818 | (428/412).CCLS.                                     | USPAT;<br>DERWENT | OR                  | OFF     | 2004/11/30 11:17 |
| 19       | 0    | 8 and ((surface adj protection) near polycarbonate) | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 11:17 |
| L10      | 3    | 8 and ((surface adj protection) with polycarbonate) | USPAT;<br>DERWENT | OR                  | ON      | 2004/11/30 11:18 |